


CLEAR PVC PIPING SYSTEM

- 透明管 Clear pipe/3M

(CR100)




SIZE	O.D.	O.D. Tolerance	Socket Type I	Socket type II(SCH40)	T (mm) Tolerance
			T(mm)	T(mm)	
1/2"	21.3	±0.1	2.5	2.77	+0.51
3/4"	26.7	±0.1	2.5	2.87	+0.51
1"	33.4	±0.13	2.5	3.38	+0.51
1"(JIS)	32.0	±0.13	2.5	-	+0.51
1 1/4"	42.2	±0.13	3.0	3.56	+0.51
1 1/4"(JIS)	38.0	±0.13	3.0	-	+0.51
1 1/2"	48.3	±0.15	3.0	3.68	+0.51
2"	60.3	±0.15	3.5	3.91	+0.51
2 1/2"	73.0	±0.18	4.0	5.16	+0.61
2 1/2"(JIS)	76.0	±0.18	4.0	-	+0.61
3"	88.9	±0.2	4.5	5.49	+0.66
4"	114.3	±0.23	5.0	6.02	+0.71
6"	168.3	±0.28	-	6.55	+0.86
8"	219.1	±0.38	4.45	-	+0.99

- 平接頭Coupling(SxS)

(CR129)




Nominal Size	Socket Type			Structural Diameter		
	d1	d2	l	d	N	L
1/2"	21.54	21.23	24	16	4	52
3/4"	26.87	26.57	27	22	4	58
1"	33.65	33.27	30	30	4	64
1-1/4"	42.42	42.04	34	38	4	72
1-1/2"	48.56	48.11	37	44	4	78
2"	60.63	60.17	41	54	4	86
2-1/2"	73.38	72.85	46.5	67	5	98
3"	89.31	88.7	50	82	7	107
4"	114.76	114.1	60	106	7	127
6"	168.83	168.0	79	158	10	168




CLEAR PVC PIPING SYSTEM

- 90°彎頭Elbow(SxS)
(CR106)



Nominal Size	Socket Type			Structural Diameter		
	d1	d2	l	d	G	R1
1/2"	21.54	21.23	24	16	13	23.0
3/4"	26.87	26.57	27	22	15	28.5
1"	33.65	33.27	30	30	18	37.0
1-1/4"	42.42	42.04	34	38	23	46.0
1-1/2"	48.56	48.11	37	44	26	51.5
2"	60.63	60.17	41	54	32	63.5
2-1/2"	73.38	72.85	46.5	67	39	77.5
3"	89.31	88.7	50	82	47	93.5
4"	114.76	114.1	60	106	59	119.0
6"	168.83	168.0	79	158	89	174.5

- 三通Tee(SxSxS)
(CR101)



Nominal Size	Socket Type			Structural Diameter		
	d1	d2	l	d	G	L
1/2"	21.54	21.23	24	16	13	74
3/4"	26.87	26.57	27	22	15	84
1"	33.65	33.27	30	30	18	96
1-1/4"	42.42	42.04	34	38	23	114
1-1/2"	48.56	48.11	37	44	26	126
2"	60.63	60.17	41	54	32	146
2-1/2"	73.38	72.85	46.5	67	39	171
3"	89.31	88.7	50	82	47	194
4"	114.76	114.1	60	106	59	238
6"	168.83	168.0	79	158	89	336

- 45° 彎頭 Elbow (SxS)
(CR117)



Nominal Size	Socket Type			Structural Diameter		
	d1	d2	l	d	J	R1
1/2"	21.54	21.23	24	16	6.5	23.0
3/4"	26.87	26.57	27	22	8.0	28.5
1"	33.65	33.27	30	30	8.0	37.0
1-1/4"	42.42	42.04	34	38	10.0	46.0
1-1/2"	48.56	48.11	37	44	12.0	51.5
2"	60.63	60.17	41	54	16.0	63.5
2-1/2"	73.38	72.85	46.5	67	18.0	77.5
3"	89.31	88.7	50	82	19.5	93.5
4"	114.76	114.1	60	106	26.0	119.0
6"	168.83	168.0	79	158	45.0	174.5

- 外牙接頭 Male Adapter (SxT)
(CR136)



Nominal Size	Socket Type			Structural Diameter				
	d1	d2	l	d	T	S	D	L
1/2"	21.54	21.23	24	13.2	7.0	19.85	30	50.0
3/4"	26.87	26.57	27	19.0	7.0	18.5	35	50.5
1"	33.65	33.27	30	24.0	8.0	21.0	44	59.0
1-1/4"	42.42	42.04	34	32.0	8.0	25.4	54	63.4
1-1/2"	48.56	48.11	37	38.0	8.0	26.0	60	67.0
2"	60.63	60.17	41	48.0	8.0	30.0	80	80.0